# GHOSTDRONE 2.0

## 3-AXIS GIMBAL

OPERATING MANUAL



**GHVNQ** 


#### Disclaimer

Before using 3-axis gimbal, please read the operating manual carefully and familiarize yourself with the operations, warnings and applications. EHang shall not bear any liability or responsibility of the damage of the gimbal, the copter or any other related accessories or the accidents arised from improper use.

#### Introduction

EHang 3-axis gimbal is specially designed for GHOSTDRONE series. It is compatible with GoPro3, GoPro3+, GoPro4 and EHang sports camera. The highly accurate and stable gimbal system can help you create amazing aerial shots.

### ■Structural Diagram




### ■In the Box



#### Gimbal Assembly

 Put the copter upside down on a soft surface to avoid unnecessary scratches, and use a screwdriver to tighten four copper pillars on the bottom of the aircraft.






2. Connect the gimbal wire to the P1 interface on the plate adapter.









4


3. Mount the plate adapter to the gimbal by using two screws.



4. Fix the gimbal base by tightening two screws on the other two copper pillars.



5. Connect the plug of the adapter cable to the plate adapter P2 interface. Connect the other end of the cable to the aircraft.




#### Camera Assembly


EHang 3-axis gimbal is compatible with GoPro3, GoPro3+, GoPro4 and EHang sports camera. Please note that camera is not included in the box.

Take assembling EHang sports camera as instance below.

1. Connect the gimbal black plug with the sports camera's USB interface.



2. Use the camera guard to fix the sports camera lens, and tighten the screws.



.....



Completed Assembly

#### Specification

Weight	154 g
Accuracy	0.09°
Operating Voltage	DC 12 V
Controllable Range	Yaw 360°/ Pitch Angle -90° to +30°
Supported Camera	EHang sports camera, GoPro3, GoPro3+, GoPro4

## Warranty

Strict quality control will be conducted before delivery. Please read the manual and get familiar with the operations before use. 6 months' warranty is guaranteed for problems not caused by users' improper use. Removal of the products' manufacturing label will be regarded as waiver of warranty. We will not offer complimentary maintenance if the label is removed or damaged. But limited warranty is still provided.

#### ■Contact Us

Business Hour: Monday – Friday 9:00 A.M – 5:00 P.M (PST) Customer Service Phone: +1 650-533-8554 / 888-800-7056

Customer Service Email: support@ehang.com

ENTERPRISE STANDARD: Q/ EHT 001-2017
EHang, Inc. reserves all right to interpret this warranty.